



2 Cabins - 1 Head version



3 Cabins - 1 Head version

GENERAL SPECIFICATIONS

• L.O.A	11,48 m	37'8"
• Hull length	11,13 m	36'6"
• L.W.L.	10,40 m	34'1"
• Beam	3,92 m	12'10"
• Lightweight	6 515 kg	14,359 lbs
• Deep draught	1,90 m	6'3"
• Deep ballast weight	1 770 kg	3,901 lbs
• Shallow draught	1,40 m	4'7"
• Shallow ballast weight	1 930 kg	4,254 lbs
• Air draught	16,65 m	54'8"
• Freshwater capacity	361 l	95 US Gal
• Fuel capacity	130 l	34 US Gal
• Engine power	29 HP	29 HP

ARCHITECT / DESIGNERS

- Naval Architect: Finot - Conq et associés
- Interior design: Nauta Design

EC CERTIFICATE

- Category A - 8 persons
- Category B - 9 persons
- Category C - 10 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	34,80 m ²	375 sq ft
• Genoa (105 %)	33,00 m ²	355 sq ft
• Asymmetric spinnaker	85,00 m ²	915 sq ft
• I	13,98 m	45'10"
• J	4,55 m	14'11"
• P	13,25 m	43'6"
• E	3,90 m	12'10"

STANDARD EQUIPMENT

CONSTRUCTION

- Design in accordance with European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Hull-deck join screwed, bonded and trimmed with 1 PVC bulwark
- Cast iron keel fixed with bolts and stainless steel backing plates
- Hung rudder with stainless steel stock
- White coloured hull - Grey metal hull graphics

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 aft-swept spreaders
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging (Forestay, Shrouds, Lower shroud, Backstay)
- 2 Backstays with bottlescrews
- 1 Standard fore stay
- 1 Rigid boom vang with tackle
- 1 Genoa furling system with drum on the deck
- 1 Mainsail sheet track
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift - Foot tuning line)
- Complete running rigging: 1 Main halyard - 1 genoa halyard with clutch on mast and cleat - Boom topping lift with cleat on mast - 1 Mainsail foot - 1 Mainsail sheet on traveller - 2 Genoa sheets - 2 rapid reefing lines
- 5 clutches, to port
- 3 Jamming cleats

WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STC)
- 1 Rigging winch self tailing, on deck house port side (H35.2 STC)
- 2 Aluminium winch handles
- 2 Winch handle boxes

SAILS

- 1 Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- Lazy Jack and Lazy Bag in Natural colour

MOORING LINES - GROUND TACKLE

- Self-bailing chain locker - Clench bolt - Hatch cover
- 1 Stainless steel bow fitting - 1 Stem roller
- Mechanically welded stainless steel roller
- 6 Aluminium mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits
- 1 Lifebuoy support bracket
- 1 Flag pole socket
- Double stainless steel guardrails, Stainless steel stanchions

COCKPIT

- Self-draining cockpit in polyester
- 1 Wet locker to port (Life raft storage, Gas box 2 bottles)
- 1 Starboard locker (Sail locker)
- 1 Locker next to tiller seat to starboard
- Natural solid wood slatted cockpit benches
- 1 Steering wheel console: Leather covered steering wheel (1 100 mm / 3'7" diameter) - 1 Rudder system on column - 1 metal cable transmission system - 1 Stainless steel handrail - navigation instrument support (optional instruments) - 1 Compass on binnacle
- Engine control - Control panel to starboard
- 1 Deck hole for access to tiller system - 1 Emergency tiller
- Companionway hatch and door in PMMA

AFT TRANSOM

- Vertical opening access door assisted by gas piston stainless steel
- 1 Stainless steel bathing ladder
- 1 Cold water cockpit shower hose

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Hull spar ceilings in cabins and saloon
- Cushions

COMPANIONWAY

- Headroom: 1,93 m / 6'4"
- Companionway and steps in polyester
- 2 Stainless steel handrails (Version 2 aft cabin(s)) - 1 Stainless steel handrails (Version 1 aft cabin(s))
- 1 Fixed zenital window with curtain

FORWARD CABIN

- Headroom: 1,91 m / 6'3"
- Central double bed (2,10 x 0,42 m - 1,87 m / 6'11" x 1'5" - 6'2"), Marine mattress
- Hanging locker - shelves - Shelving - Storage - Dressing table
- 1 Removable seat
- 1 Opening hatch with curtain

SALOON

- Headroom: 1,92 m / 6'4"
- U shaped saloon bench to port, double density foam
- 1 Starboard bench seat
- Saloon table with wooden mounting
- Shelving - Storage space along the hull - Bar storage space - Storage under bench seats
- 1 Port side window with curtain
- 1 Starboard side window with curtain
- 2 opening porthole in side window - Port side
- 1 opening porthole in side window - Starboard
- 2 Hull portholes with curtain
- 1 Opening deck hatch with curtain

GALLEY - PORT SIDE

- Headroom: 1,92 m / 6'4"
- L-shaped kitchen
- Compact grey laminated worktop
- 2 Rectangular stainless steel sinks
- 1 Mixer tap cold water / hot water, under pressure
- 1 2 hob gas cooker on mounting - 1 Stainless steel protection handrail
- 1 110 L front opening fridge - 12 V Refrigeration unit
- 1 Dresser - Closure / Cutting board
- Cupboard - Fitted storage space and lockers
- 1 Bin
- 1 Porthole opening onto coaming in side window

CHART TABLE - STARBOARD

- Facing companionway
- Chart table with flaps and glove boxes- Moulded wood fiddle
- Pivoting electrical panel enabling access to electrical connections
- 1 White light fitting / Red
- Storage cupboards and lockers with crockery rack
- 1 Opening porthole in side window (2 cabin version)

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,92 m / 6'4"
- Access through saloon
- Washroom moulded in one piece to be watertight
- Shower tray
- Worktop with washbasin
- 1 Mixer tap / Hot water shower / cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- 1 Mirror
- Toilet accessories
- Storage cupboard and lockers (1 In version 3 Cabins - 2 In version 2 Cabins)
- 1 Opening porthole with curtain
- 1 Opening porthole with curtain on the cockpit end wall (2 cabin version)

AFT CABINS

Version: 1 forward cabin - 2 Aft cabins

- Headroom: 1,94 m / 6'4"
- 2 Symmetrical aft cabins with larger access to port cabin including:
- Headroom: 1,94 m / 6'4" approx.
- Double bed (1,95 x 1,55 m - 1,29 m / 6'5" x 5'1" - 4'3"), Marine mattress
- 1 Hanging locker
- 1 Opening porthole with curtain
- 1 Opening porthole with curtain on the cockpit end wall

Version: 1 forward cabin - 1 Aft cabin

- Headroom: 1,94 m / 6'4"
- 1 Double bed (2,25 x 1,60 m / 7'5" x 5'3") - Marine mattress
- Bench seat - Bed access sideboard
- Hanging locker, Storage - Oddment locker
- 1 Opening porthole with curtain
- 1 Opening porthole with curtain on the cockpit end wall

ENGINE

- Engine Yanmar Diesel 29 hp / HP
- Engine control - fitted in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 60 Ah
- 1 Rotation moulded diesel tank 130 L / 34 US Gal (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas struts)
- 2 Engine access through aft cabins (3 cabin version) or in the washroom and the aft cabin (2 cabin version)

ELECTRICITY

- 12 V circuit
- 1 110 Amperes service battery (Port aft cabin)
- 1 70 Amperes engine battery (Port aft cabin)
- 1 Power distributor
- 12 V Electrical panel (Fuses - Voltmeter - 1 Water gauge - 1 Fuel gauge - 1 Low battery charge warning - 1 Low diesel and water tank warning)
- 1 12 V Sockets
- Lighting: 1 Fluorescent lamp White, Overhead lights: Lighting LED, 1 White/red light fitting
- Navigation lights: 1 Forward and aft navigation lights - 1 Engine navigation light / Spreader light forward of mast - 1 Anchor light on masthead
- Wire runs for options cables

PLUMBING

- 2 Roto moulded freshwater tanks (130 L / 34 US Gal port aft cabin - 206 L / 54 US Gal forward cabin) - 2 Stainless steel water deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 1 25 L / 7 US Gal Electric water heater (engine run)
- 1 Rigid holding tank 80L / 21 US Gal
- Electric shower drain pump
- 2 Bilge pumps (1 Manual bilge pump - 1 Electric bilge pump)
- 1 Electric ice box drain pump

GAS

- 2 Gas bottle boxes in the cockpit
- Regulator and safety tap

TRIM LEVEL

	AVANTAGE	ELEGANCE	LIMITED EDITION
1 Display IS 40 Graphic SIMRAD (Loch, Speedometer, Depth sounder)	■	■	■
1000 W Electric windlass - Remote control	■	■	■
High cupboards along hull - Drawer under the bed - Removable seat in forward cabin	■	■	■
Sonic Hub - 2 Interior loudspeakers - 2 Outside loudspeakers	■	■	■
LED: Navigation lights - Interior lighting	■	■	■
Complete 220V electrical system (Inside sockets - 25 Amperes battery charger - Shore power socket)	■	■	■
1 110 amperes additional service batterie	■	■	■
Polyester/wood cockpit table - 12 V socket - lamp with shade - White PVC protective cover		■	■
Shore freshwater supply		■	■
Hot/cold water cockpit shower hose		■	■
Companionway steps covered in wood		■	■
Leather covering on stainless steel guardrails - Stainless steel beading cubby hole lockers on high		■	■
Sea water foot pump + Fresh water		■	■
Mirror on forward partition of fore cabin		■	■
PMMA shower partition in aft washroom (2 cabin version)		■	■
1 Additional mirror in toilet closet (3 cabin version)		■	■
2 Additional mirrors in toilet closet (2 cabin version)		■	■
Delayed shower draining		■	■
1 Additional opening cockpit porthole to port in aft cabin		■	■
1 Opening aft platform porthole to port in aft cabin		■	■
Mosquito blinds / Blackouts on deck hatches		■	■
Pearl Grey hull colour			■
Hull decorated Limited Edition			■
Graphite Coachroof sprayhood			■
Natte Stone outside upholstery			■
IPAD III 16 GO 3G			■

OPTION PACK

	DOCKING	ELECTRONIC SIMRAD
Side openings in guardrails	■	
Additional bow roller	■	
White PCV steering wheel and console covers	■	
Moorings lines, ground tackle, Fenders	■	
1 Display IS 40 WIND (Windvane anemometer)		■
PC interface at chart table - Wifi		■
Steering console: Multifunction color touchscreen NSS8 LED 8" (GPS - Chart plotter - Chart reader for preloaded Navionics Silver cartography - supplied without chart)		■

OTHER OPTIONS

- Anodised mast furling system with mainsail
- windex Windvane
- Flag halyards
- Asymmetric spinnaker gear
- Asymmetric spinnaker rigging and boom
- Releasable fore-stay chain-plate
- Bow thruster
- 3 retractable blades propeller
- Rope cutter
- Catwalks decked in natural solid wood
- Cockpit bottom and rear platform decked in natural solid wood
- Outboard engine bracket
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet blocks - Backstay adjustment⁽¹⁾)

- Cockpit Bimini
- Cockpit cushions

- Berth in saloon
- Microwave oven
- Heating
- Electric toilet
- Mosquito nets to port

- Auto pilot SIMRAD AC 42 - Included gyrocompass
- VHF SIMRAD RS 12

(1) Except on mast with in-mast furling